

PRODUCT-DETAILS

# TB/U4.4.1-CG

## TB/U4.4.1-CG Control element 4g.



### Informazioni generali

Tipo	TB/U4.4.1-CG
ID prodotto	2CKA006300A1541
EAN	4011395230756
Descrizione catalogo	TB/U4.4.1-CG Control element 4g.

Descrizione

Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely configurable multifunction control element. With integrated KNX bus coupler. With integrated temperature sensor. With integrated proximity function. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1

### Installation

Istruzioni e manuali	No document needed
----------------------	--------------------

### Dati tecnici

Scheda tecnica	No document needed
Numero di pulsanti	4
Number of Actuation Points	4

Sistemi bus compatibili	KNX (TP)
Gamma prodotto	KNX
Design Range	tacteo
Tipo di montaggio	Surface Mounted
Finitura superficte	Surface protection: Untreated Surface finishing: Glossy
Materiale	Glass
Colore	other
Number of Batteries	0
Application Function	Blind / Shutter / Shading Control Electrical Load and Light Control Room Climate Control

### Dati ambientali

Temperatura ambiente	In funzione -5 ... +45 °C
Grado di protezione	IP20
Dichiarazione RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informazioni RoHS	2CKA200000E5453
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

### Dimensioni

Larghezza prodotto	86 mm
Altezza prodotto	86 mm
Profondità prodotto	34 mm
Peso netto prodotto	104.5 g
Profondità integrata (t <sub>2</sub> )	35 mm

### Certificati e dichiarazioni (numero del documento)

Dichiarazione di conformità - CE	2CKA100000E2526
----------------------------------	-----------------

### Classificazioni

ETIM 8	EC000672 - Touch sensor for bus system
ETIM 9	EC000672 - Touch sensor for bus system
Categoria RAEE	5. Piccole apparecchiature (nessuna dimensione esterna superiore a 50 cm)
CN8	Business To Consumer
Tipo di oggetto design	8536 50 80
eClass	V11.0 : 27143138

---

## Categorie

---

Prodotti di bassa tensione → Automazione case ed edifici → KNX → User Operation → ABB tacteo® → 4 fold



360